

Case 307 : Narrative

Case Vehicle (A): 1998 Ford	Veh. (B): 1996 Ford
Type: Windstar Limited, 4 x 2, minivan	Type: E-250 Econoline, 4 x 2, cargo van
Driver: 16-year-old male	Driver: 43-year-old male
CDC: 11-FDEW-4	CDC: 99-0000-0

SITUATION

1 It was daylight, cloudy, and 2 the two-lane east-west asphalt road was wet but free of defects. 3 4 Case vehicle (A) was traveling east at an unknown speed in the eastbound lane, and 5 vehicle (B) was traveling west at an unknown speed in the westbound lane. Vehicle (B) ran off the north edge of the road and the driver of vehicle (B) over steered to the left. Vehicle (B) entered into a counterclockwise yaw, re-entered the westbound lane, crossed 6 the centerline, and went into the path of case vehicle (A). The driver of case vehicle (A) reportedly did not see vehicle (B) and the front of case vehicle (A) struck the right side of vehicle (B). 7 Case vehicle (A) came to rest in its original travel lane facing east. 8 9 Vehicle (B) came to rest with its front wheels off the south edge of the road surface, facing south. Both vehicles were towed from the scene.

The driver, right-front, and right-rear passengers of case vehicle (A), and the driver and right-front passenger of vehicle (B), were transported by ambulance to a level-one trauma center. The right-front passenger of case vehicle (A) was treated and released. The driver of case vehicle (A) was hospitalized for three days. The right-rear passenger of case vehicle (A) was hospitalized for nine days. The driver of vehicle (B) was treated and released. The right-front passenger of vehicle (B) reportedly was ejected through the windshield and was hospitalized for two days.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

[10](#) Damage to case vehicle (A) was severe. [11](#) Direct damage began at the left-front bumper corner and extended 160 cm to the right, across the entire frontal plane. [12](#) The maximum crush was 74 cm and occurred at the right portion of the upper radiator support. Using the WinSMASH crash-reconstruction program and [13](#) [14](#) [15](#) [16](#) c-values measured for case vehicle (A) at the level of the bumper and [17](#) [18](#) [19](#) the level of the upper radiator support, the following impact severity was calculated:

		Calculated Velocity Change - kph (mph)		
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	42 (26)	-39 (25)	14 (9)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

In the front, [20](#) the bumper was displaced rearward a moderate amount and the bumper cover was torn off. Override at the front resulted in downward and rearward crush to both headlight assemblies, the grille, and the hood. [21](#) The windshield had been cut in half by rescue personnel. The hood was folded in half, and the rear edge of the hood was elevated and it contacted, but did not penetrate, the windshield. The hood latch could not be located and it is unknown if it released or was jammed closed by impact forces. Both hood hinges were buckled, but it is unknown if they were separated, since one end of each hinge was hidden by the folded hood.

On the left side, [22](#) the fender was crushed rearward, down, and slightly to the right. [23](#) The left-front tire was flat, but the wheel was not damaged. [24](#) The lower portion of the left A-pillar was crushed and the upper portion of the left A-pillar was displaced rearward. [25](#) Impact forces broke out the left-front window. [26](#) The left wheelbase was reduced 8 cm. [27](#)

The left door was jammed closed during the crash and was pried open, the left second window was broken out, [28](#) and the upper portions of the left A- and [29](#) B-pillars and the roof siderail were cut by rescue personnel.

[30](#) Rescue personnel cut the upper portions of the right A-, [31](#) B- and [32](#) D-pillars, and the right roof siderail. [33](#) The right-front fender was crushed rearward and slightly to the left. [34](#) The upper and lower portions of the right A-pillar were displaced slightly rearward. The forward portion of the right-front door was buckled. Both right-side doors remained closed during the crash and were operational, and there was no significant change to the right wheelbase. [35](#) The right-rear tire was flat and had been replaced by a space saver spare after the crash.

[36](#) There was no damage to the rear of the vehicle.

[37](#) There was no undercarriage damage and no apparent fuel leaks.

Interior

This vehicle is equipped with steering-wheel and passenger frontal-impact airbags, and [38](#) [39](#) [40](#) both deployed during the frontal impact. There was paint on the left side and blood on the right side of the steering-wheel airbag fabric. [41](#) [42](#) There was no damage to the steering-wheel airbag module cover. [43](#) The passenger airbag module cover was slightly scuffed by contact with the windshield. [44](#) [45](#) The steering-wheel rim was scuffed on the left side and the lower portion was deflected forward about 1 cm. [46](#) There was no damage to the steering-wheel spokes. The steering column was rotated up, but there was no apparent lateral rotation. [47](#) The interior panel of the driver door was separated from the door, probably due to rescue prying the door open, and [48](#) [49](#) the plastic panel was broken. [50](#) The accelerator pedal was deflected to the right. [51](#) The lower portion of the left A-pillar was only slightly deformed. The driver knee bolster was dented and cracked by driver contact and the left portion was deflected to the right. [52](#) The upper portion of the left A-pillar was crushed rearward and had been cut by rescue, and the plastic cover was broken off.

The upper and mid portions of the instrument panel, instruments, control knobs, and levers were broken and deflected up. [53](#) The rearview mirror was knocked off of its mount, the plastic trim of the vertical console was loosened, and the front of the radio was partially dislodged. The vertical and center consoles were deflected slightly to the left. [54](#) The glove-box door and the upper panel above the glove box were dented and deformed forward. The upper vent outlets were loosened. The upper portion of the right A-pillar was cut by rescue, but the lower portion was not damaged. [55](#) [56](#) The roof structure, the roof headliner, and both roof side rails were buckled. The roof-mounted console was loosened and bent. [57](#) The right-front door hardware and armrest were broken, possibly by rescue when they cut the upper portion of the right A-pillar. [29](#) [58](#) The upper portion of left B-pillar was cut and pulled outward, and the upper portion of the right B-pillar was also cut by rescue. [59](#) The right-front seat back was dented, probably by contact from the right-rear passenger. [60](#) The rear dome light was knocked off of its mount, probably by rescue personnel when they folded the roof backwards.

The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
driver 61 62	knee bolster	11	to rear
63	steering column	7	to rear
64	toe pan	4	to rear
center front 65	vertical console	11	to rear
right front 66	toe pan	20	to rear
67	knee bolster	12	to rear

OCCUPANT KINEMATICS AND INJURIES

[68](#) The 5-ft, 10-in, 200-lb, 16-year-old male driver was wearing the three-point belt and [69](#) the steering-wheel airbag deployed. [70](#) The buckle tongue was still inserted in the receptacle following cutting of the belt by rescue personnel, indicating belt use at the time of the crash. The driver seat was in a mid seat-track position.

On impact, the driver moved forward and slightly to the left into the belt restraints and airbag. He sustained abrasions to the knuckles of his right hand, probably due to contact with the windshield, or possibly due to contact with the instrument panel. He sustained a displaced fracture to the left acetabular wall with a minimally displaced femoral head, due to knee contact with the knee bolster, [71](#) as evidenced by the scuff mark and broken plastic on the knee bolster cover. He sustained an abrasion to the left hip, probably from loading by the lap belt, or possibly from contact with the left-front door.

[72](#) The 5-ft, 6-in, 145-lb, 38-year-old female right-front passenger was **not** wearing the three-point belt, but [39](#) [40](#) the passenger airbag deployed. [73](#) [74](#) The belt webbing was cut when rescue cut the upper section of the B-pillar and was spooled into the retractor mechanism. The right-front passenger seat was in a mid seat-track position.

On impact, the right-front passenger moved forward and slightly to the left, into the airbag and glove-box area, [75](#) as indicated by the deformation of the glove-box door and upper instrument panel. She sustained a contusion to the left flank superior to the iliac crest, and a contusion and abrasion to the left hip and left lower abdomen, possibly due to contact with the vertical console or center armrest. She sustained a contusion below the right knee, due to contact with the glove-box area.

[76](#) [77](#) The 5-ft, 4-in, 135-lb, 14-year-old female right-rear passenger was wearing the three-point belt. [78](#) There were webbing marks on the D-ring and [79](#) plastic transferred onto the belt fabric, indicating belt use at the time of the crash. On impact, she moved

forward and slightly to the left into the belt restraints. She sustained a 12-cm abrasion to the right lateral aspect of the neck near the shoulder from contact with the shoulder belt, [79](#) as evidenced by the plastic transferred onto the belt fabric. She sustained a fracture to the inferior end plate of T-11 with a ligament injury, an abdominal abrasion anterior to the superior iliac crest across the abdomen, a periduodenal hematoma, a mesenteric hematoma at the level of the jejunum, and a small deserosalization and hematoma of the cecum, probably due to loading of the lap belt. She sustained a T11-T12 spinous-process subluxation, T12-L1 spinous ligament and ligamentum flavum injuries, and posterior herniation of the L4 - L5 intervertebral disc, from unknown causes.

The following tables and attached drawings [80](#) [81](#) [82](#) summarize the injuries for the three occupants of case vehicle (A).

Occupant: Driver	Age: 16 years	Gender: Male		
Restraints: 3-point belt worn; frontal-impact airbag deployed	Stature: 178 cm (5 ft, 10 in)	Mass: 91 kg (200 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
Abrasions, knuckles of right hand	1	—	Windshield	Instrument panel
Displaced fracture, posterior aspect of left acetabular wall, with minimally displaced femoral head	3	Knee bolster	—	—
Abrasion, left hip	1	—	Lap belt	Driver door interior panel
Maximum A.I.S. Level	3	—	—	—
Injury Severity Score	10	—	—	—

Occupant: Right front	Age: 38 years	Gender: Female		
Restraints: 3-point belt <i>not</i> worn, frontal-impact airbag deployed	Stature: 168 cm (5 ft, 6 in)	Mass: 66 kg (145 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
Contusion, left flank, superior to iliac crest	1	—	—	Vertical console, center armrest
Abrasion and contusion, left lower abdomen and left hip	1	—	—	Vertical console, center armrest
Contusion, below right knee	1	Glove box	—	—
Maximum A.I.S. Level	1	—	—	—
Injury Severity Score	1	—	—	—

Occupant: Right rear	Age: 14 years	Gender: Female		
Restraints: 3-point belt worn	Stature: 163 cm (5 ft, 4 in)	Mass: 61 kg (135 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
12-cm abrasion, right lateral aspect at base of neck near shoulder	1	Shoulder belt	—	—
Fracture, end plate of T-11 with ligament injury	2	—	Lap belt	—
Abrasions, across abdomen above superior iliac crest	1	—	Lap belt	—
Periduodenal hematoma	2	—	Lap belt	—
Mesentery hematoma at the level of the jejunum	2	—	Lap belt	—
Deserolization and hematoma of the cecum	2	—	Lap belt	—
L4 - L5 posterior herniation of the intervertebral disc	2	Unknown	—	—
T11 - T12 spinous processes subluxation	2	Unknown	—	—
T12 - L1 spinous ligament and ligamentum flavum injury	1	Unknown	—	—
Maximum A.I.S. Level	2	—	—	—
Injury Severity Score	9	—	—	—

CASE NO.: 307-02

CASE VEHICLE: 1998 Ford


TYPE: Windstar Limited, 4 x 2, minivan

OCCUPANT: Driver: 16-year-old male

STATURE: 178 cm (5 ft, 10 in) MASS: 91 kg (200 lb)

RESTRAINTS: 3-point belt worn, frontal-impact
airbag deployed

SEVERITY: MAIS - 3 : ISS - 10



CASE NO.: 307-02

CASE VEHICLE: 1998 Ford


TYPE: Windstar Limited, 4 x 2, minivan

OCCUPANT: Right front: 38-year-old female

STATURE: 168 cm (5 ft, 6 in) MASS: 66 kg (145 lb)

RESTRAINTS: 3-point belt not worn, frontal-impact
airbag deployed

SEVERITY: MAIS - 1 : ISS - 1



CASE NO.: 307-02

CASE VEHICLE: 1998 Ford



TYPE: Windstar Limited, 4 x 4, minivan

OCCUPANT: Right rear: 14-year-old female

STATURE: 163 cm (5 ft, 4 in) MASS: 61 kg (135 lb)

RESTRAINTS: 3-point belt worn


SEVERITY: MAIS - 2 : ISS - 9



Case No.: 307-02
Case Veh. (A): 1998 Ford
Type: Windstar Limited, 4 x 2, minivan
Driver: 16-year-old male
Veh. (B): 1996 Ford Econoline van

Light Conditions: Daylight
Weather: Cloudy
Road Surface: Wet
Road Construction: Asphalt

North
↑



Vehicle Report

General

Conditions

Variable Number and Name	Code Value	Code Description	Other Options
V206 — Urban/Rural Area	2	Rural	more
V207 — Limited Access Highway	0	No	more
V208 — Road Total Lanes	2	2 lanes	more
V209 — Intersecting Road Total Lanes	8	Not applicable	more
V210 — Road Surface Type	1	Asphalt	more
V211 — Road Defects	0	No	more
V212 — Construction Zone	0	No	more
V213 — Road Alignment Vertical Plane	1	Level	more
V214 — Road Alignment Horizontal Plane	1	Straight	more
V215 — Surface Covering	22	Water - wet	more
V216 — Visibility Limitation	0	None	more
V217 — Visibility Obstruction	0	None	more
V218 — Speed Limit	4	71-79 km/h .. 45 mph	more
V219 — Precipitation Type	0	None	more
V220 — Precipitation Rate	8	Not applicable	more
V221 — Temperature	9	Unknown	more
V222 — Crosswind	9	Unknown	more
V223 — Light Conditions	1	Daylight	more
V224 — Mechanical Malfunction Mention	0	No	more
V225 — Case Vehicle and Object	0	No	more
V226 — Case Vehicle Rollover	0	No	more

V227 — Case Vehicle Ran Off Roadway	0	No	more
V228 — Moving Case Vehicle/Contacted Moving Vehicle	1	Yes	more
V229 — Case Vehicle/Contacted Stopped Vehicle	0	No	more
V230 — Stopped Case Vehicle/Contactd Vehicle	0	No	more
V231 — Total Vehicles Hit By Case Vehicle	1	1 vehicle	more
V232 — Any Fire in Crash	0	No	more
V233 — Max Police Severity-PAR	3	A - Incapacitating Injury	more
V234 — Driver Alcohol Involvement	0	Had not been drinking	more
V235 — Driver Alcohol BAC	80	Not tested	more
V236 — Driver Impairment Mention	0	No	more
V237 — Driven/Towed From Scene	2	Towed Due to Damage	more

Other Vehicle

Variable Number and Name	Code Value	Code Description	Other Options
V301 — Other Vehicle VIN	1FTFE24H9THB	—	—
V302 — Other Vehicle Manufacturer/Body Code	12111	—	—
V303 — Other Vehicle Manufacturer	121	Ford	more
V304 — Other Vehicle Body Code	11	Passenger van; panel or cargo van	more
V305 — Other Vehicle Make/Model	3114	E-250 Econoline	more
V306 — Other Vehicle Model Year	1996	—	—
V307 — Other Vehicle Mass	002301 kg	—	—
V308 — Other Vehicle Number	0	No separate report	more
V309 — Other Vehicle Number of Occupants	02	—	—
V310 — Other Vehicle Traveling Speed	999	Unknown	more
V311 — Highest Police Injury Severity	3	A - Incapacitating Injury	more
V312 — Other Vehicle Type	11	Small van (e.g. Econoline)	more
V313 — Other Vehicle Wheelbase (cm)	350 cm	—	—
V314 — Average Track Width	173 cm	—	—
V315 — Overall Length	538 cm	—	—
V316 — Overall Width (OAW)	201 cm	—	—
V317 — Front Overhang (FOH)	076 cm	—	—
V318 — Rear Overhang (ROH)	111 cm	—	—
V319 — Undeformed End Width (UEW)	180 cm	—	—
V320 — Engine Displacement	5.8 l	—	—
V321 — Engine: Number of Cylinders	08	—	—
V322 — Direct Damage Length (DDL)	999	Unknown	more
V323 — Front-End Overlap % (FEO)	99	Missing or Not applicable	more
V324 — Vehicle Overlap % (VOL)	99	Missing or Not applicable	more

Case Vehicle

General

Variable Number and Name	Code Value	Code Description	Other Options
V401 — VIN	2FMZA5142WBC	—	—
V402 — Manufacturer/Body Code	22111	—	—
V403 — Vehicle Manufacturer	221	Ford/Canada	more
V404 — Vehicle Body Code	11	—	—
V405 — Make/Model Code	3133	Windstar	more
V406 — Model Year	1998	—	—
V407 — Vehicle Mass	001706 kg	—	—
V408 — Odometer Reading	128670 miles	—	—
V409 — Number of Occupants	03	—	—
V410 — Traveling Speed	999	Unknown	more
V411 — Body Type	24	Van (small)	more
V412 — Stolen Vehicle	8	Not currently collected	more
V413 — Body Structure	2	Unitized	more
V414 — Transmission Type	1	Automatic	more
V415 — Transmission Lever Location	3	Column	more
V416 — Steering	1	Power	more
V417 — Brakes	1	Power	more
V418 — Brake Type	2	Disc - front wheels	more
V419 — Brake Anti-lock Device	2	Four-wheel	more
V420 — Air Conditioning in Vehicle	8	Not currently collected	more
V421 — Drive Type	2	Front wheel	more
V422 — Dual Rear Wheels	0	No	more
V423 — Original Restraint System Type	3	Airbag	more

V424 — Equipped With Roll Bar	0	No	more
V425 — Roof Type	1	Solid	more
V426 — Wheelbase	307 cm	—	—
V427 — Anti-lacerative Glass	0	None	more
V428 — Average Track Width	162 cm	—	—
V429 — Overall Length	511 cm	—	—
V430 — Overall Width (OAW)	192 cm	—	—
V431 — Front Overhang	102 cm	—	—
V432 — Rear Overhang	102 cm	—	—
V433 — Undeformed End Width (UEW)	160 cm	—	—
V434 — Engine Displacement	3.8 l	—	—
V435 — Engine: Number of Cylinders	06	—	—
V436 — Direct Damage Length (DDL)	160 cm	—	—
V437 — Front End Overlap % (FEO)	98	98% or more	more
V438 — Vehicle Overlap % (VOL)	98	98% or more	more

Case Vehicle

Damage

Description

Variable Number and Name	Code Value	Code Description	Other Options
V501 — Maximum Crush - Front	074 cm	—	—
V502 — Maximum Crush - Right Side	000 cm	No crush (or less than 1 cm.)	more
V503 — Maximum Crush - Rear	000 cm	No crush (or less than 1 cm.)	more
V504 — Maximum Crush - Left Side	000 cm	No crush (or less than 1 cm.)	more
V505 — Maximum Crush - Roof	000 cm	No crush (or less than 1 cm.)	more
V506 — Maximum Crush - Other	000 cm	No crush (or less than 1 cm.)	more
V507 — Are Events In Chronological Order	1	Yes	more
V508 — Event 1 Impact Location	1	On Roadway	more
V509 — Event 1 Impact Configuration	13	FRONT of case veh - SIDE of contacted Vehicle	more
V510 — Event 1 Object/Vehicle Contacted	11	Small van (e.g. Econoline)	more
V511 — Event 2 Impact Location	8	No 2nd event	more
V512 — Event 2 Impact Configuration	88	No 2nd event	more
V513 — Event 2 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V514 — Event 3 Impact Location	8	No 3rd event	more
V515 — Event 3 Impact Configuration	88	No 3rd event	more
V516 — Event 3 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V517 — Event 4 Impact Location	8	No 4th event	more
V518 — Event 4 Impact Configuration	88	No 4th event	more
V519 — Event 4 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V520 — Event 5 Impact Location	8	No 5th event	more
V521 — Event 5 Impact Configuration	88	No 5th event	more
V522 — Event 5 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V523 — Event 6 Impact Location	8	No 6th event	more

V524 — Event 6 Impact Configuration	88	No 6th event	more
V525 — Event 6 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V526 — Event 7 Impact On Road	8	No 7th event	more
V527 — Event 7 Impact Configuration	88	No 7th event	more
V528 — Event 7 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V529 — Primary CDC Case Vehicle -event Number	1	Event 1	more
V530 — Primary CDC Case Vehicle - impact speed	999	Unknown	more
V531 — Primary CDC Case Vehicle - Estimated By	1	Investigator	more
V532 — Primary CDC Case Vehicle -crush	074	—	—
V533 — Primary CDC Case Vehicle -clock #1	11	11 o'clock	more
V534 — Primary CDC Case Vehicle letter 1 #1	06	F - Front	more
V535 — Primary CDC Case Vehicle letter 2 #1	04	D - Distributed (Side or End)	more
V536 — Primary CDC Case Vehicle letter 3 #1	05	E - Everything below belt line	more
V537 — Primary CDC Case Vehicle letter 4 #1	23	W - Wide impact area	more
V538 — Primary CDC Case Vehicle Extent #1	04	Extent 4	more
V539 — Primary CDC Case Vehicle -CDC #1	11FDEW4	—	—
V541 — Primary CDC Case Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V542 — Primary CDC Case Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V543 — Primary CDC Case Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V544 — Primary CDC Case Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V545 — Primary CDC Case Vehicle Extent #2	00	Missing Data/Not applicable	more
V546 — Primary CDC Case Vehicle -CDC #2	9800000	—	—
V547 — Primary CDC Contacted Vehicle - Impact Speed	999	Unknown	more
V548 — Primary CDC Contacted Vehicle - Estimated By	1	Investigator	more
V549 — Primary CDC Contacted Vehicle -crush	999	Unknown	more
V550 — Primary CDC Contacted Vehicle -clock #1	99	Unknown or no damage	more
V551 — Primary CDC Contacted Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V552 — Primary CDC Contacted Vehicle letter 2 #1	00	Missing Data/Not applicable	more

V553 — Primary CDC Contacted Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V554 — Primary CDC Contacted Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V555 — Primary CDC Contacted Vehicle Extent #1	00	Missing Data/Not applicable	more
V556 — Primary CDC Contacted Vehicle -CDC #1	9900000	—	—
V558 — Primary CDC Contacted Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V559 — Primary CDC Contacted Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V560 — Primary CDC Contacted Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V561 — Primary CDC Contacted Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V562 — Primary CDC Contacted Vehicle Extent #2	00	Missing Data/Not applicable	more
V563 — Primary CDC Contacted Vehicle -CDC #2	9900000	—	—
V564 — Secondary CDC Case Vehicle - Event No	8	Not applicable	more
V565 — Secondary CDC Case Vehicle - Impact Speed	998	Not Applicable	more
V566 — Secondary CDC Case Vehicle - Estimated By	8	Not applicable (no vehicle/no impact)	more
V567 — Secondary CDC Case Vehicle -crush	998	Not Applicable	more
V568 — Secondary CDC Case Vehicle -clock #1	98	Not Applicable	more
V569 — Secondary CDC Case Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V570 — Secondary CDC Case Vehicle letter 2 #1	00	Missing Data/Not applicable	more
V571 — Secondary CDC Case Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V572 — Secondary CDC Case Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V573 — Secondary CDC Case Vehicle Extent #1	00	Missing Data/Not applicable	more
V574 — Secondary CDC Case Vehicle -CDC #1	9800000	—	—
V576 — Secondary CDC Case Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V577 — Secondary CDC Case Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V578 — Secondary CDC Case Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V579 — Secondary CDC Case Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V580 — Secondary CDC Case Vehicle Extent #2	00	Missing Data/Not applicable	more
V581 — Secondary CDC Case Vehicle -CDC #2	9800000	—	—
V582 — Secondary CDC Contacted Vehicle - Impact Speed	998	Not Applicable	more

V583 — Secondary CDC Contacted Vehicle - Estimated By	8	Not applicable (no vehicle/no impact)	more
V584 — Secondary CDC Contacted Vehicle -crush	998	Not Applicable	more
V585 — Secondary CDC Contacted Vehicle -clock #1	98	Not Applicable	more
V586 — Secondary CDC Contacted Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V587 — Secondary CDC Contacted Vehicle letter 2 #1	00	Missing Data/Not applicable	more
V588 — Secondary CDC Contacted Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V589 — Secondary CDC Contacted Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V590 — Secondary CDC Contacted Vehicle Extent #1	00	Missing Data/Not applicable	more
V591 — Secondary CDC Contacted Vehicle -CDC #1	9800000	—	—
V593 — Secondary CDC Contacted Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V594 — Secondary CDC Contacted Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V595 — Secondary CDC Contacted Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V596 — Secondary CDC Contacted Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V597 — Secondary CDC Contacted Vehicle Extent #2	00	Missing Data/Not applicable	more
V598 — Secondary CDC Contacted Vehicle -CDC #2	9800000	—	—

Crash Severity

Variable Number and Name	Code Value	Code Description	Other Options
V601 — Case Vehicle Primary Impact Number	1	—	—
V602 — Primary Impact Total Delta-V	999	Unknown	more
V603 — Primary Case Vehicle Reconstructed Longitudinal Delta-V	9999	—	—
V604 — Primary Case Vehicle Reconstructed Lateral Delta-V	9999	—	—
V605 — Primary Case Vehicle Reconstructed Crush Energy	9999	—	—
V606 — Primary Impact Case Vehicle -reconstruction	12	Other Vehicle Not Inspected	more
V607 — Primary Case Vehicle Reconstruction Mode	5	Not reconstructed	more
V608 — Primary Contacted Vehicle Reconstructed Total Delta-V	999	Unknown	more
V609 — Primary Contacted Vehicle Reconstructed Longitudinal Delta-V	9999	—	—
V610 — Primary Contacted Vehicle Reconstructed Lateral Delta-V	9999	—	—
V611 — Primary Contacted Vehicle Reconstructed Crush Energy	9999	—	—
V612 — Case Vehicle Secondary Impact Number	8	—	—
V613 — Secondary Case Vehicle Reconstructed Total Delta-V	888	N/A	more
V614 — Secondary Case Vehicle Reconstructed Longitudinal Delta-V	8888	—	—
V615 — Secondary Case Vehicle Reconstructed Lateral Delta-V	8888	—	—
V616 — Secondary Case Vehicle Reconstructed Crush Energy	8888	—	—
V617 — Secondary Case Vehicle Reconstruction Note	88	—	—
V618 — Secondary Case Vehicle Reconstruction Mode	8	Not applicable	more
V619 — Secondary Contacted Vehicle Reconstructed Total Delta-V	888	N/A	more

V620 — Secondary Contacted Vehicle Reconstructed Longitudinal Delta-V	8888	—	—
V621 — Secondary Contacted Vehicle Reconstructed Lateral Delta-V	8888	—	—
V622 — Secondary Contacted Vehicle Reconstructed Crush Energy	8888	—	—
V623 — Case Vehicle Primary Impact Number	1	—	—
V624 — Primary Case Vehicle Reconstructed Total EBS	042 kph	—	—
V625 — Primary Case Vehicle Reconstructed Longitudinal EBS	-039 kph	—	—
V626 — Primary Case Vehicle Reconstructed Lateral EBS	0014 kph	—	—
V627 — Primary Case Vehicle Reconstructed Crush Energy	0175 kJ	—	—
V628 — Primary Case Vehicle Reconstruction Note	22	Reconstructed, moderate confidence level	more
V629 — Primary Case Vehicle Reconstruction Mode	2	CDC & detailed damage	more
V630 — Primary Contacted Vehicle Reconstruction Total EBS	999	Unknown	more
V631 — Primary Contacted Vehicle Reconstruction Longitudinal EBS	9999	—	—
V632 — Primary Contacted Vehicle Reconstruction Lateral EBS	9999	—	—
V633 — Primary Contacted Vehicle Reconstruction Crush Energy	9999	—	—
V634 — Case Vehicle Secondary Impact Number	8	Not applicable	more
V635 — Secondary Case Vehicle Reconstruction Total EBS	888	N/A	more
V636 — Secondary Case Vehicle Reconstruction Longitudinal EBS	8888	—	—
V637 — Secondary Case Vehicle Reconstruction Lateral EBS	8888	—	—
V638 — Secondary Case Vehicle Reconstruction Crush Energy	8888	—	—
V639 — Secondary Case Vehicle Reconstruction Note	88	—	—

V640 — Secondary Case Vehicle Reconstruction Mode	8	Not applicable	more
V641 — Secondary Contacted Vehicle Reconstruction Total EBS	888	N/A	more
V642 — Secondary Contacted Vehicle Reconstruction Longitudinal EBS	8888	—	—
V643 — Secondary Contacted Vehicle Reconstruction Lateral EBS	8888	—	—
V644 — Secondary Contacted Vehicle Reconstruction Crush Energy	8888	—	—
V645 — Case Vehicle Reconstructed Impact Number	1	—	—
V646 — Case Vehicle Impact 1 Plane	5	Other	more
V647 — Case Vehicle Impact 1 Direct Damage Length [DDL]	144 cm	—	—
V648 — Case Vehicle Impact 1 Max Crush	074 cm	—	—
V649 — Case Vehicle Impact 1 Field-L	144 cm	—	—
V650 — Case Vehicle Impact 1 C1	021 cm	—	—
V651 — Case Vehicle Impact 1 C2	034 cm	—	—
V652 — Case Vehicle Impact 1 C3	039 cm	—	—
V653 — Case Vehicle Impact 1 C4	043 cm	—	—
V654 — Case Vehicle Impact 1 C5	046 cm	—	—
V655 — Case Vehicle Impact 1 C6	035 cm	—	—
V656 — Case Vehicle Impact 1 +/- D	0000 cm	—	—
V657 — Case Vehicle Reconstructed Impact Number	1	—	—
V658 — Case Vehicle Impact 2 Plane	9	Unknown	more
V659 — Case Vehicle Impact 2 Direct Damage Length [DDL]	999	Unknown	more
V660 — Case Vehicle Impact 2 Max Crush	999	Unknown	more
V661 — Case Vehicle Impact 2 Field-L	999	Unknown	more
V662 — Case Vehicle Impact 2 C1	999	Unknown	more
V663 — Case Vehicle Impact 2 C2	999	Unknown	more
V664 — Case Vehicle Impact 2 C3	999	Unknown	more
V665 — Case Vehicle Impact 2 C4	999	Unknown	more

V666 — Case Vehicle Impact 2 C5	999	Unknown	more
V667 — Case Vehicle Impact 2 C6	999	Unknown	more
V668 — Case Vehicle Impact 2 +/- D	0999 cm	—	—
V669 — Other Vehicle Reconstructed Impact Number	2	—	—
V670 — Other Vehicle Impact 1 Plane	8	Not applicable	more
V671 — Other Vehicle Impact 1 Direct Damage Length [DDL]	998	Not applicable	more
V672 — Other Vehicle Impact 1 Max Crush	998	Not applicable	more
V673 — Other Vehicle Impact 1 Field-L	998	Not applicable	more
V674 — Other Vehicle Impact 1 C1	998	Not applicable	more
V675 — Other Vehicle Impact 1 C2	998	Not applicable	more
V676 — Other Vehicle Impact 1 C3	998	Not applicable	more
V677 — Other Vehicle Impact 1 C4	998	Not applicable	more
V678 — Other Vehicle Impact 1 C5	998	Not applicable	more
V679 — Other Vehicle Impact 1 C6	998	Not applicable	more
V680 — Other Vehicle Impact 1 +/- D	9998	—	—
V681 — Other Vehicle Reconstructed Impact Number	2	—	—
V682 — Other Vehicle Impact 2 Plane	8	Not applicable	more
V683 — Other Vehicle Impact 2 Direct Damage Length [DDL]	998	Not applicable	more
V684 — Other Vehicle Impact 2 Max Crush	998	Not applicable	more
V685 — Other Vehicle Impact 2 Field-L	998	Not applicable	more
V686 — Other Vehicle Impact 2 C1	998	Not applicable	more
V687 — Other Vehicle Impact 2 C2	998	Not applicable	more
V688 — Other Vehicle Impact 2 C3	998	Not applicable	more
V689 — Other Vehicle Impact 2 C4	998	Not applicable	more
V690 — Other Vehicle Impact 2 C5	998	Not applicable	more
V691 — Other Vehicle Impact 2 C6	998	Not applicable	more
V692 — Other Vehicle Impact 2 +/- D	9998	—	—

Case Vehicle

Tires & Rims

Variable Number and Name	Code Value	Code Description	Other Options
V701 — Left Front Wheel Damaged	0	No	more
V702 — Right Front Wheel Damaged	0	No	more
V703 — Right Rear Wheel Damaged	0	No	more
V704 — Left Rear Wheel Damaged	0	No	more
V705 — Left Front Tire Tread Type	4	All Weather	more
V706 — Right Front Tire Tread Type	4	All Weather	more
V707 — Right Rear Tire Tread Type	4	All Weather	more
V708 — Left Rear Tire Tread Type	4	All Weather	more
V709 — Left Front Carcass Construction	3	Radial	more
V710 — Right Front Carcass Construction	3	Radial	more
V711 — Right Rear Carcass Construction	3	Radial	more
V712 — Left Rear Carcass Construction	3	Radial	more
V717 — Left Front Tire Size	P22560R16	—	—
V718 — Right Front Tire Size	P22560R16	—	—
V719 — Right Rear Tire Size	P22560R16	—	—
V720 — Left Rear Tire Size	P22560R16	—	—

Case Vehicle

Fuel, Tank, Fire

Variable Number and Name	Code Value	Code Description	Other Options
V801 — Propulsive Fuel Type	1	Gasoline	more
V802 — Main Tank Location	322	Within frame/centered laterally - within vertically	more
V803 — Main Filler Cap Location	313	Left of frame laterally - above vertically	more
V804 — Main Tank Material	3	Plastic	more
V805 — Aux Tank Type	8	Not applicable (not equipped)	more
V806 — Aux Tank Location	888	Not applicable (not equipped)	more
V807 — Aux Filler Cap Location	888	Not applicable (not equipped)	more
V808 — Aux Tank Material	8	Not applicable	more
V901 — Fuel Leakage From Crash	0	No	more
V1001 — Fire In Or On Case Vehicle	0	No	more

Case Vehicle

Exterior

Variable Number and Name	Code Value	Code Description	Other Options
V1101 — Hood Latch Released	9	Unknown	more
V1102 — Hood Latch Damaged	1	Yes	more
V1103 — Hood Latch Jammed	9	Unknown	more
V1104 — Left Hood Hinge Damaged	1	Yes	more
V1105 — Left Hood Hinge Separated	9	Unknown	more
V1106 — Right Hood Hinge Damaged	1	Yes	more
V1107 — Right Hood Hinge Separated	9	Unknown	more
V1108 — Hood Remained On Vehicle	1	Yes	more
V1109 — Rear Hood Edge Elevated	1	Yes	more
V1110 — Edge Contacted Windshield	1	Yes	more
V1111 — Edge Penetrated Windshield	0	No	more
V1112 — Hood Latch Location	1	Front of Vehicle	more
V1113 — Eng/Transmissn Mount Separation	0	No	more
V1114 — Steerng Column Flex Coupling	9	Unknown if equipped	more
V1115 — Steerng Column Coupling Damaged	9	Unknown	more
V1116 — Steerng Column Coupling Separated	9	Unknown	more
V1117 — Eng Comp Telescopng Unit	88	Not collected	more
V1118 — Comp Orig/Telescopd Diff	888	Not collected	more
V1119 — Left Side Body Mount Separation	8	Not applicable (unitized)	more
V1120 — Upper Left A-pillar Separation	4	No separation, but damaged	more
V1121 — Lower Left A-pillar Separation	4	No separation, but damaged	more
V1122 — Upper Left B-pillar Separation	4	No separation, but damaged	more
V1123 — Lower Left B-pillar Separation	4	No separation, but damaged	more
V1124 — Upper Left C-pillar Separation	8	Not applicable (not equipped)	more
V1125 — Lower Left C-pillar Separation	8	Not applicable (not equipped)	more

V1126 — Upper Left D-pillar Separation	0	No	more
V1127 — Lower Left D-pillar Separation	0	No	more
V1128 — Left Front Door Opening Cause	0	Door did not open	more
V1129 — Left Rear Door Opening Cause	8	Not applicable (no left rear door)	more
V1130 — Left Front Door Jammed Closed	1	Yes	more
V1131 — Left Rear Door Jammed Closed	8	Not applicable (no left rear door)	more
V1132 — Rear Door Type	2	One-way tailgate	more
V1133 — Rear Door Opening Cause	0	Door did not open	more
V1134 — Rear Door Jammed Closed	0	No	more
V1135 — Luggage Partition Damagd	8	Not applicable	more
V1136 — Spare Tire Status	8	Not collected	more
V1137 — Trailer Hitch Type	0	No hitch	more
V1138 — Trailer Type	0	No trailer	more
V1139 — Right Side Body Mount Separation	8	Not applicable (unitized)	more
V1140 — Upper Right A-pillar Separation	4	No separation, but damaged	more
V1141 — Lower Right A-pillar Separation	4	No separation, but damaged	more
V1142 — Upper Right B-pillar Separation	4	No separation, but damaged	more
V1143 — Lower Right B-pillar Separation	4	No separation, but damaged	more
V1144 — Upper Right C-pillar Separation	0	No	more
V1145 — Lower Right C-pillar Separation	0	No	more
V1146 — Upper Right D-pillar Separation	0	No	more
V1147 — Lower Right D-pillar Separation	0	No	more
V1148 — Right Front Door Opening Cause	00	Door did not open	more
V1149 — Right Rear Door Opening Cause	00	Door did not open	more
V1150 — Right Front Door Jammed Closed	0	No	more
V1151 — Right Rear Door Jammed Closed	0	No	more
V1152 — Van Rear Door Type	1	Track (sliding)-right side	more
V1153 — Windshield Cracked		Yes	more
V1154 — Windshield Broken	1	Yes	more

V1155 — Windshield Cracked or Broken by Occupant	0	No	more
V1156 — Bond Separation Extent	9	Unknown if separated	more
V1157 — Windshield Code		—	—
V1158 — Did Sun/T Roof Open	8	Not Applicable	more

Case Vehicle

Steering

Column/Rim

Variable Number and Name	Code Value	Code Description	Other Options
V1201 — Steering Wheel Rim Damage	1	Deformed slightly	more
V1202 — Number of Steering Wheel Spokes	4	4 spokes	more
V1203 — Steering Wheel Spoke Damage	0	None	more
V1204 — Column Tilt Feature	3	Middle	more
V1205 — Column Swing-away Feature	0	Not equipped	more
V1206 — Column Telescoping Feature	0	Not equipped	more
V1207 — Wheel Energy Absorb Device	8	Not collected	more
V1208 — Wheel Ea Orig/Damaged Diff	888	Not collected	more
V1209 — Column Energy Absorb Device	88	Not collected	more
V1210 — Column Ea Orig/Comprss Diff	888	Not collected	more
V1211 — Shear Capsule Separation	888	Not collected	more
V1212 — Column Vertical Rotation	1	Upward apparent rotation	more
V1213 — Column Lateral Rotation	0	No apparent rotation	more
V1214 — Steering Wheel Hub Damage	1	Occupant contact	more

Case Vehicle

Intrusion

Variable Number and Name	Code Value	Code Description	Other Options
V1301 — Occupant Compartment Intrusion	1	Yes	more
V1302 — Was Intrusion Catastrophic	0	No	more
V1303 — Intrusion Number 01	01	Intrusion #1	more
V1304 — Intrusion 01 Occupant Space Number	11	First row, Left seat	more
V1305 — Intrusion 01 Intruding Object	01	Instrument panel	more
V1306 — Intrusion 01 Assoc Event Number	1	Event #1	more
V1307 — Intrusion 01 Max Intrusion X-axis	11 cm	—	—
V1308 — Intrusion 01 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1309 — Intrusion 01 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1310 — Intrusion 01 Occupant Number	01	Occupant number 1, contact	more
V1311 — Intrusion 01 Injury Number	02	Injury #2	more
V1312 — Intrusion 01 Occupant Number	00	No contact or no intrusion	more
V1313 — Intrusion 01 Injury Number	00	No injury or no intrusion	more
V1314 — Intrusion Number 02	02	Intrusion #2	more
V1315 — Intrusion 02 Occupant Space Number	11	First row, Left seat	more
V1316 — Intrusion 02 Intruding Object	05	Steering column	more
V1317 — Intrusion 02 Assoc Event Number	1	Event #1	more
V1318 — Intrusion 02 Max Intrusion X-axis	07 cm	—	—
V1319 — Intrusion 02 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1320 — Intrusion 02 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1321 — Intrusion 02 Occupant Number	00	No contact or no intrusion	more
V1322 — Intrusion 02 Injury Number	00	No injury or no intrusion	more
V1323 — Intrusion 02 Occupant Number	00	No contact or no intrusion	more
V1324 — Intrusion 02 Injury Number	00	No injury or no intrusion	more
V1325 — Intrusion Number 03	03	Intrusion #3	more

V1326 — Intrusion 03 Occupant Space Number	11	First row, Left seat	more
V1327 — Intrusion 03 Intruding Object	03	Toe pan	more
V1328 — Intrusion 03 Assoc Event Number	1	Event #1	more
V1329 — Intrusion 03 Max Intrusion X-axis	04 cm	—	—
V1330 — Intrusion 03 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1331 — Intrusion 03 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1332 — Intrusion 03 Occupant Number	00	No contact or no intrusion	more
V1333 — Intrusion 03 Injury Number	00	No injury or no intrusion	more
V1334 — Intrusion 03 Occupant Number	00	No contact or no intrusion	more
V1335 — Intrusion 03 Injury Number	00	No injury or no intrusion	more
V1336 — Intrusion Number 04	04	Intrusion #4	more
V1337 — Intrusion 04 Occupant Space Number	12	First row, Center seat	more
V1338 — Intrusion 04 Intruding Object	24	Console	more
V1339 — Intrusion 04 Assoc Event Number	1	Event #1	more
V1340 — Intrusion 04 Max Intrusion X-axis	11 cm	—	—
V1341 — Intrusion 04 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1342 — Intrusion 04 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1343 — Intrusion 04 Occupant Number	00	No contact or no intrusion	more
V1344 — Intrusion 04 Injury Number	00	No injury or no intrusion	more
V1345 — Intrusion 04 Occupant Number	00	No contact or no intrusion	more
V1346 — Intrusion 04 Injury Number	00	No injury or no intrusion	more
V1347 — Intrusion Number 05	05	Intrusion #5	more
V1348 — Intrusion 05 Occupant Space Number	13	First row, Right seat	more
V1349 — Intrusion 05 Intruding Object	03	Toe pan	more
V1350 — Intrusion 05 Assoc Event Number	1	Event #1	more
V1351 — Intrusion 05 Max Intrusion X-axis	20 cm	—	—
V1352 — Intrusion 05 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1353 — Intrusion 05 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1354 — Intrusion 05 Occupant Number	02	Occupant number 2, contact	more
V1355 — Intrusion 05 Injury Number	01	Injury #1	more

V1356 — Intrusion 05 Occupant Number	02	Occupant number 2, contact	more
V1357 — Intrusion 05 Injury Number	02	Injury #2	more
V1358 — Intrusion Number 06	06	Intrusion #6	more
V1359 — Intrusion 06 Occupant Space Number	13	First row, Right seat	more
V1360 — Intrusion 06 Intruding Object	01	Instrument panel	more
V1361 — Intrusion 06 Assoc Event Number	1	Event #1	more
V1362 — Intrusion 06 Max Intrusion X-axis	12 cm	—	—
V1363 — Intrusion 06 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1364 — Intrusion 06 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1365 — Intrusion 06 Occupant Number	00	No contact or no intrusion	more
V1366 — Intrusion 06 Injury Number	00	No injury or no intrusion	more
V1367 — Intrusion 06 Occupant Number	00	No contact or no intrusion	more
V1368 — Intrusion 06 Injury Number	00	No injury or no intrusion	more
V1369 — Intrusion Number 07	00	No Intrusion, None	more
V1370 — Intrusion 07 Occupant Space Number	00	No Intrusion, None	more
V1371 — Intrusion 07 Intruding Object	00	No Intrusion, None	more
V1372 — Intrusion 07 Assoc Event Number	0	No Intrusion, None	more
V1373 — Intrusion 07 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1374 — Intrusion 07 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1375 — Intrusion 07 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1376 — Intrusion 07 Occupant Number	00	No contact or no intrusion	more
V1377 — Intrusion 07 Injury Number	00	No injury or no intrusion	more
V1378 — Intrusion 07 Occupant Number	00	No contact or no intrusion	more
V1379 — Intrusion 07 Injury Number	99	Contact, injury unknown or data not collected	more
V1380 — Intrusion Number 08	00	No Intrusion, None	more
V1381 — Intrusion 08 Occupant Space Number	00	No Intrusion, None	more
V1382 — Intrusion 08 Intruding Object	00	No Intrusion, None	more
V1383 — Intrusion 08 Assoc Event Number	0	No Intrusion, None	more
V1384 — Intrusion 08 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more

V1385 — Intrusion 08 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1386 — Intrusion 08 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1387 — Intrusion 08 Occupant Number	00	No contact or no intrusion	more
V1388 — Intrusion 08 Injury Number	00	No injury or no intrusion	more
V1389 — Intrusion 08 Occupant Number	00	No contact or no intrusion	more
V1390 — Intrusion 08 Injury Number	99	Contact, injury unknown or data not collected	more
V1391 — Intrusion Number 09	00	No Intrusion, None	more
V1392 — Intrusion 09 Occupant Space Number	00	No Intrusion, None	more
V1393 — Intrusion 09 Intruding Object	00	No Intrusion, None	more
V1394 — Intrusion 09 Assoc Event Number	0	No Intrusion, None	more
V1395 — Intrusion 09 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1396 — Intrusion 09 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1397 — Intrusion 09 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1398 — Intrusion 09 Occupant Number	00	No contact or no intrusion	more
V1399 — Intrusion 09 Injury Number	00	No injury or no intrusion	more
V1400 — Intrusion 09 Occupant Number	00	No contact or no intrusion	more
V1401 — Intrusion 09 Injury Number	99	Contact, injury unknown or data not collected	more
V1402 — Intrusion Number 10	00	No Intrusion, None	more
V1403 — Intrusion 10 Occupant Space Number	00	No Intrusion, None	more
V1404 — Intrusion 10 Intruding Object	00	No Intrusion, None	more
V1405 — Intrusion 10 Assoc Event Number	0	No Intrusion, None	more
V1406 — Intrusion 10 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1407 — Intrusion 10 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1408 — Intrusion 10 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1409 — Intrusion 10 Occupant Number	00	No contact or no intrusion	more
V1410 — Intrusion 10 Injury Number	00	No injury or no intrusion	more
V1411 — Intrusion 10 Occupant Number	00	No contact or no intrusion	more
V1412 — Intrusion 10 Injury Number	99	Contact, injury unknown or data not collected	more

V1413 — Door Intrusion Number 01	88	Not Applicable	more
V1414 — Door Intrusion Number 01 Cause	8	Not applicable	more
V1415 — Door Intrusion Number 02	88	Not Applicable	more
V1416 — Door Intrusion Number 02 Cause	8	Not applicable	more
V1417 — Door Intrusion Number 03	88	Not Applicable	more
V1418 — Door Intrusion Number 03 Cause	8	Not applicable	more
V1419 — Door Intrusion 01 Component	88	Not Applicable	more
V1420 — Door Intrusion 01 Component Damaged 1	8	Not Applicable	more
V1421 — Door Intrusion 01 Component Damaged 2	8	Not Applicable	more
V1422 — Door Intrusion 02 Component	88	Not Applicable	more
V1423 — Door Intrusion 02 Component Damaged 1	8	Not Applicable	more
V1424 — Door Intrusion 02 Component Damaged 2	8	Not Applicable	more
V1425 — Door Intrusion 03 Component	88	Not Applicable	more
V1426 — Door Intrusion 03 Component Damaged 1	8	Not Applicable	more
V1427 — Door Intrusion 03 Component Damaged 2	8	Not Applicable	more
V1428 — Door Intrusion 04 Component	88	Not Applicable	more
V1429 — Door Intrusion 04 Component Damaged 1	8	Not Applicable	more
V1430 — Door Intrusion 04 Component Damaged 2	8	Not Applicable	more

Case Vehicle

Airbag(s)

Variable Number and Name	Code Value	Code Description	Other Options
V1501 — Driver Airbag Equipped	1	Yes	more
V1502 — Driver Airbag Deployed	1	Yes	more
V1503 — Driver Airbag Condition	0	No Damage	more
V1504 — Passenger Airbag Equip	1	Yes	more
V1505 — Passenger Airbag Deployed	1	Yes	more
V1506 — Passenger Airbag Condition	0	No Damage	more
V1507 — Steering Wheel Airbag Tether	1	Yes	more
V1508 — Driver Airbag Marked By Contact	1	Yes	more
V1509 — Passenger Airbag Tether	0	No	more
V1510 — Passenger Airbag Marked By Contact	0	No	more

Case Vehicle

Interior

Variable Number and Name	Code Value	Code Description	Other Options
V1601 — Left Front Door Damaged	4	Yes, occupant contact	more
V1602 — Right Front Door Damaged	1	Yes	more
V1603 — Left Front Hardware Damaged	1	Yes	more
V1604 — Right Front Hardware Damaged	1	Yes	more
V1605 — Left Front Armrest Damaged	1	Yes	more
V1606 — Right Front Armrest Damaged	1	Yes	more
V1607 — Left Front Glass Damaged	1	Yes	more
V1608 — Right Front Glass Damaged	0	No	more
V1609 — Left Rear Door Area Damaged	0	No	more
V1610 — Right Rear Door Area Damaged	0	No	more
V1611 — Left Rear Hardware Damaged	0	No	more
V1612 — Right Rear Hardware Damaged	0	No	more
V1613 — Left Rear Armrest Damaged	0	No	more
V1614 — Right Rear Armrest Damaged	0	No	more
V1615 — Left Rear Glass Damaged	0	No	more
V1616 — Right Rear Glass Damaged	0	No	more
V1617 — Left Roof Side Rail Damaged	1	Yes	more
V1618 — Right Roof Side Rail Damaged	1	Yes	more
V1619 — Left B-pillar Damaged	1	Yes	more
V1620 — Right B-pillar Damaged	1	Yes	more
V1621 — Left C-pillar Damaged	8	Not applicable	more
V1622 — Right C-pillar Damaged	0	No	more
V1623 — Left D-pillar Damaged	0	No	more
V1624 — Right D-pillar Damaged	0	No	more
V1625 — Left Headlining Damaged	1	Yes	more

V1626 — Right Headlining Damaged	1	Yes	more
V1627 — Left Roof Structure Damaged	1	Yes	more
V1628 — Right Roof Structure Damaged	1	Yes	more
V1629 — Left T/Sun Roof Damaged	8	Not applicable	more
V1630 — Right T/Sun Roof Damaged	8	Not applicable	more
V1631 — Other Left Side Item Damagd	8	Not applicable	more
V1632 — Other Right Side Item Damagd	8	Not applicable	more
V1633 — Foot Controls Damaged	1	Yes	more
V1634 — Ignition Key Damaged	0	No	more
V1635 — Rear View Mirror Damaged	1	Yes	more
V1636 — Sunvisor/Fitting Damaged	0	No	more
V1637 — Windshield Molding Damaged	1	Yes	more
V1638 — Left A-pillar Damaged	1	Yes	more
V1639 — Right A-pillar Damaged	1	Yes	more
V1640 — Center Console Damaged	4	Yes, occupant contact	more
V1641 — Transmission Lever Damaged	0	No	more
V1642 — Horn/Spoke Shroud Damagd	4	Yes, occupant contact	more
V1643 — Upper Panel Damaged	1	Yes	more
V1644 — Mid Panel Damaged	1	Yes	more
V1645 — Lower Panel Damaged	4	Yes, occupant contact	more
V1646 — Ashtray Damaged	1	Yes	more
V1647 — Control Knob/Lever Damaged	1	Yes	more
V1648 — Glove Compartment Area Damaged	4	Yes, occupant contact	more
V1649 — Instruments Damaged	1	Yes	more
V1650 — Park Brake Release Damaged	1	Yes	more
V1651 — Park Brake Pedal Damaged	0	No	more
V1652 — A/C Or Upper Vent Damaged	1	Yes	more
V1653 — Heater Or A/C Duct Damaged	1	Yes	more
V1654 — Radio Damaged	1	Yes	more
V1655 — Other Item Damaged	8	Not applicable	more

V1656 — Rear Window Damaged	0	No	more
V1657 — Rear Window Header Damaged	0	No	more
V1658 — Vertical Console Damaged	1	Yes	more
V1659 — Roof Console Damaged	1	Yes	more

Case Vehicle

Seats


Variable Number and Name	Code Value	Code Description	Other Options
V1701 — Driver Front Seat Type	05	Bucket	more
V1702 — Passenger Front Seat Type	05	Bucket	more
V1703 — Driver Seat Mount Type	1	Standard	more
V1704 — Passenger Seat Mount Type	1	Standard	more
V1705 — Driver Swivel Mechanism Equipped	0	No	more
V1706 — Passenger Swivel Mechanism Equipped	0	No	more
V1707 — Driver Seat Original Equipment	1	Yes	more
V1708 — Passenger Seat Original Equipment	1	Yes	more
V1709 — Driver Seat/Rear Occupant Contact	0	No	more
V1710 — Passenger Seat/Rear Occupant Contact	1	Yes	more
V1711 — Driver Seat Damage	0	None	more
V1712 — Passenger Seat Damage	1	Backrest only damaged	more
V1713 — Center Front Armrest Damaged	0	No	more
V1714 — Driver Seat Rotation	0	None apparent	more
V1715 — Passenger Seat Rotation	0	None apparent	more
V1716 — Driver Seat-back Type	3	Reclining	more
V1717 — Passenger Seat-back Type	3	Reclining	more
V1718 — Driver Seat-back Lock Type	1	Manual	more
V1719 — Passenger Seat-back Lock Type	1	Manual	more
V1720 — Driver Seat-back Lock Held	1	Yes	more
V1721 — Passenger Seat-back Lock Held	1	Yes	more
V1722 — Driver Recliner Mechanism Held	1	Yes	more
V1723 — Passenger Recliner Mechanism Held	1	Yes	more

V1724 — Driver Head Restraint Type	1	Adjustable	more
V1725 — Passenger Head Restraint Type	1	Adjustable	more
V1726 — Driver Head Rest Removed	0	No	more
V1727 — Passenger Head Rest Removed	0	No	more
V1728 — Driver Head Rest Adjustment	2	Down	more
V1729 — Passenger Head Rest Adjustment	2	Down	more
V1730 — Driver Head Rest Damage	0	None	more
V1731 — Passenger Head Rest Damage	0	None	more
V1732 — Driver Seat Adjustment Type	1	Manual	more
V1733 — Passenger Seat Adjustment Type	1	Manual	more
V1734 — Driver Seat Adjustment Provided	1	2-way	more
V1735 — Passenger Seat Adjustment Provided	1	2-way	more
V1736 — Driver Seat Adjuster Damage	0	None	more
V1737 — Passenger Seat Adjuster Damage	0	None	more
V1738 — Driver Seat Adjuster Separation	8	Not applicable	more
V1739 — Passenger Seat Adjuster Separation	8	Not applicable	more
V1740 — Driver Seat Pre-crash Position	2	Middle	more
V1741 — Passenger Seat Pre-crash Position	2	Middle	more
V1742 — Left Rear Seat Type	3	Captain's Chair	more
V1743 — Right Rear Seat Type	3	Captain's Chair	more
V1744 — Left Rear Seat Damaged	0	None	more
V1745 — Right Rear Seat Damaged	0	None	more
V1746 — Center Rear Armrest Damaged	0	No	more
V1747 — Left Rear Seat-back Left Lock Equipped	0	No	more
V1748 — Right Rear Seat-back Left Lock Equipped	0	No	more
V1749 — Left Rear Seat-back Left Lock Held	8	Not applicable	more
V1750 — Right Rear Seat-back Left Lock Held	8	Not applicable	more




V1751 — Left Rear Seat-back Right Lock Equipped	0	No	more
V1752 — Right Rear Seat-back Right Lock Equipped	0	No	more
V1753 — Left Rear Seat-back Right Lock Held	8	Not applicable	more
V1754 — Right Rear Seat-back Right Lock Held	8	Not applicable	more
V1755 — Left 3rd Seat Equipped	1	Yes	more
V1756 — Right 3rd Seat Equipped	1	Yes	more
V1757 — Left 3rd Seat Backrest Damaged	0	No	more
V1758 — Right 3rd Seat Backrest Damaged	0	No	more
V1759 — Left 3rd Seat Cushion Damaged	0	No	more
V1760 — Right 3rd Seat Cushion Damaged	0	No	more
V1761 — Rear Head Restraints	1	Equipped	more

MEASUREMENTS IN CENTIMETERS

This vehicle was unavailable for inspection




Original
Bumper Height



Bumper corner _____
Stringline _____



Bumper corner _____
Stringline _____




Bumper corner _____
Stringline _____

Bumper corner _____
Stringline _____

MEASUREMENTS IN CENTIMETERS




Left upper A- and B-pillars and roof cut by rescue



Bumper corner
Stringline

Bumper corner
Stringline

Right upper A-, B- and D-pillars and roof cut by rescue




Bumper corner
Stringline

Bumper corner
Stringline

Add 4-cm for stand adjustment


Max. crush to left upper radiator support


74



Width of direct damage to front

WINDSHIELD MARK ON CASE VEHICLE:





Windshield cut by rescue personnel


1 = Definitely 2 = Probably 3 = Possible

INTRUSION IT-1


Location of Intrusion	Intruded Component	(All Measurements Are in Centimeters)					Dominant Crush Direction
		Comparison Value	–	Intruded Value	=	Intrusion	
11	Toepan	128	–	124	=	4	X
11	Knee bolster	85	–	74	=	11	X
11	Steering column	64	–	57	=	7	X
12	Vertical console	80	–	69	=	11	X
13	Knee bolster	74	–	62	=	12	X
13	Toepan	122	–	102	=	20	X
			–		=		
			–		=		

OCCUPANT CONTACT WORKSHEET


Contact	Interior Component Contacted	Occupant No. if Known	Body Region if Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	knee bolster	Dr	Lt. knee	scuff mark and cracked plastic	1
B	Steering-wheel rim	Dr	Hands	rim bent forward	1
C	Glove box	RF	Lt. side	indentation	1
D	Right-front seatback	DR	head	indentation	2
E					
F					
G					
H					
I					
J					
K					



B = steering wheel rim, bent




**D = right front
seatback,
dent**




**A = knee bolster,
scuff mark and
cracked plastic**

**C = Glove box,
dent**




Driver Airbag Doors



Vents: ☒ Y ☐ N
 If yes, how many: 1
 at 12 o'clock

Tethers: ☒ Y ☐ N
 If yes, how many: 2

Passenger Airbag



Vents: Y ☒ N


if yes, how many: _____

Tethers: Y ☒ N

if yes, how many: _____

Passenger Airbag Door

Single Door



Case # 307: Occupant # 1; Injury # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	12	Windshield	more
V2103 — 2nd Prob Contact Area	05	Instrument panel (specific area unknown)	more
V2104 — Primary OIC -body Region	23	Wrist/hand	more
V2105 — Primary OIC -aspect	18	Right	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	WRAI 1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 1; Injury # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	02	Injury #2	more
V2102 — 1st Prob Contact Area	56	Lower instrument panel	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	16	Pelvic/hip	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	06	Fracture	more
V2107 — Primary OIC -system/Organ	19	Skeletal	more
V2108 — Primary OIC -severity	3	Serious	more
V2109 — Primary OIC	PLFS3	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 1; Injury # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	03	Injury #3	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	20	Surface of side interior	more
V2104 — Primary OIC -body Region	16	Pelvic/hip	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	PLAI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	01	Occupant #1	more
V2002 — Occupant Role At 1st Impact	1	Motor vehicle driver	more
V2003 — Occupant Position -row	1	1st row	more
V2004 — Occupant Position -lateral	1	Left	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	16	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	091 kg	—	—
V2009 — Occupant Height	178 cm	—	—
V2010 — Occupant Sex	1	Male	more
V2011 — Occupant Treatment/Mortality	04	Hospitalized over 24 hrs or for significant treatment	more
V2012 — Injury Severity Score	10	ISS 10	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	3	A - Incapacitating Injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	3	Both lap belt and shoulder harness	more
V2017 — Passive Restraint System	1	Air bag installed	more
V2018 — Passive Restraint Usage	2	Air bag deployed	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more

V2022 — Highest OIC Severity	3	Serious	more
V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	0	None	more
V2025 — Source of Occupant Info	7	Combination of above	more

Case # 307: Occupant # 2; Injury # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	86	Vertical console	more
V2103 — 2nd Prob Contact Area	49	Armrest on seat	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	MLCI 1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 2; Injury # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	02	Injury #2	more
V2102 — 1st Prob Contact Area	86	Vertical console	more
V2103 — 2nd Prob Contact Area	49	Armrest on seat	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	MLCI 1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 2; Injury # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	03	Injury #3	more
V2102 — 1st Prob Contact Area	86	Vertical console	more
V2103 — 2nd Prob Contact Area	49	Armrest on seat	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	MLAI 1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 2; Injury # 4

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	04	Injury #4	more
V2102 — 1st Prob Contact Area	86	Vertical console	more
V2103 — 2nd Prob Contact Area	49	Armrest on seat	more
V2104 — Primary OIC -body Region	16	Pelvic/hip	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	PLCI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 2; Injury # 5

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	05	Injury #5	more
V2102 — 1st Prob Contact Area	86	Vertical console	more
V2103 — 2nd Prob Contact Area	49	Armrest on seat	more
V2104 — Primary OIC -body Region	16	Pelvic/hip	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	PLAI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 2; Injury # 6

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	06	Injury #6	more
V2102 — 1st Prob Contact Area	02	Glove compartment area	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	12	Leg (lower)	more
V2105 — Primary OIC -aspect	18	Right	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	LRCI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	02	Occupant #2	more
V2002 — Occupant Role At 1st Impact	2	Motor vehicle passenger	more
V2003 — Occupant Position -row	1	1st row	more
V2004 — Occupant Position -lateral	5	Right	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	38	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	066 kg	—	—
V2009 — Occupant Height	168 cm	—	—
V2010 — Occupant Sex	2	Female	more
V2011 — Occupant Treatment/Mortality	02	Treated at hospital/clinic but not admitted	more
V2012 — Injury Severity Score	01	ISS 1	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	3	A - Incapacitating Injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	0	None (available but not used)	more
V2017 — Passive Restraint System	1	Air bag installed	more
V2018 — Passive Restraint Usage	2	Air bag deployed	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more
V2022 — Highest OIC Severity	1	Minor	more

V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	0	None	more
V2025 — Source of Occupant Info	7	Combination of above	more

Case # 307: Occupant # 3; Injury # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	14	Neck	more
V2105 — Primary OIC -aspect	18	Right	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	NRAI 1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	02	Injury #2	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	23	Whole region	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	MWAI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	03	Injury #3	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	02	Back	more
V2105 — Primary OIC -aspect	19	Superior/upper	more
V2106 — Primary OIC -lesion	06	Fracture	more
V2107 — Primary OIC -system/Organ	19	Skeletal	more
V2108 — Primary OIC -severity	2	Moderate	more
V2109 — Primary OIC	BSFS2	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 4

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	04	Injury #4	more
V2102 — 1st Prob Contact Area	99	Unknown area of contact	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	02	Back	more
V2105 — Primary OIC -aspect	19	Superior/upper	more
V2106 — Primary OIC -lesion	04	Dislocation	more
V2107 — Primary OIC -system/Organ	22	Vertebrae	more
V2108 — Primary OIC -severity	2	Moderate	more
V2109 — Primary OIC	BSDV2	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 5

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	05	Injury #5	more
V2102 — 1st Prob Contact Area	99	Unknown area of contact	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	02	Back	more
V2105 — Primary OIC -aspect	19	Superior/upper	more
V2106 — Primary OIC -lesion	18	Rupture	more
V2107 — Primary OIC -system/Organ	22	Vertebrae	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	BSRV1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 6

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	06	Injury #6	more
V2102 — 1st Prob Contact Area	99	Unknown area of contact	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	02	Back	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	18	Rupture	more
V2107 — Primary OIC -system/Organ	22	Vertebrae	more
V2108 — Primary OIC -severity	2	Moderate	more
V2109 — Primary OIC	BIRV2	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 7

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	07	Injury #7	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	19	Superior/upper	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	04	Digestive	more
V2108 — Primary OIC -severity	2	Moderate	more
V2109 — Primary OIC	MSCD2	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 8

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	08	Injury #8	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	04	Digestive	more
V2108 — Primary OIC -severity	2	Moderate	more
V2109 — Primary OIC	MICD2	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3; Injury # 9

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	09	Injury #9	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	04	Digestive	more
V2108 — Primary OIC -severity	2	Moderate	more
V2109 — Primary OIC	MICD2	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 307: Occupant # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	03	Occupant #3	more
V2002 — Occupant Role At 1st Impact	2	Motor vehicle passenger	more
V2003 — Occupant Position -row	2	2nd row	more
V2004 — Occupant Position -lateral	5	Right	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	14	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	061 kg	—	—
V2009 — Occupant Height	163 cm	—	—
V2010 — Occupant Sex	2	Female	more
V2011 — Occupant Treatment/Mortality	04	Hospitalized over 24 hrs or for significant treatment	more
V2012 — Injury Severity Score	09	ISS 9	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	3	A - Incapacitating Injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	3	Both lap belt and shoulder harness	more
V2017 — Passive Restraint System	0	None	more
V2018 — Passive Restraint Usage	8	Not applicable (not originally equipped)	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more

V2022 — Highest OIC Severity	2	Moderate	more
V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	0	None	more
V2025 — Source of Occupant Info	7	Combination of above	more

























































































F78 37A05-AD
CAD PRODUCTS INC
60 107 R2

10243



















WARNING
DO NOT REMOVE OR
DISCARD THIS LABEL
UNTIL YOU HAVE
READ THE INSTRUCTIONS
FOR PROPER
INSTALLATION AND
USE OF THE AIRBAGS
AND SEATBELTS.

SAFETY BELT
USE PROPERLY
FOR PROTECTION
IN CRASHES
AND COLLISIONS
DO NOT WEAR
IF SEATED
BEHIND THE
WHEEL
OR IN THE
FRONT SEAT
OF A VEHICLE
WITH A
SEATBELT
LOCKING
MECHANISM
DO NOT WEAR
IF SEATED
BEHIND THE
WHEEL
OR IN THE
FRONT SEAT
OF A VEHICLE
WITH A
SEATBELT
LOCKING
MECHANISM





































3749











